

PIZZO POLLINATOR PALOOZA COLLECTION - \$145

Scientific and Common Name	<i>*Common name includes a link to additional information</i>	#/Kit	Life Cycle	Native Habitat	Soil Moisture	Light	Color	Height	Bloom Range
<i>Asclepias tuberosa</i>	Butterfly Milkweed	5	Perennial	S, P	M, DM, D	FSU, PSU	Orange	2-3'	June-Aug
<i>Aquilegia canadensis</i>	Columbine	5	Perennial	WO, S	M, DM, D	PSU, WSH	Red/Yellow	1-2'	April-June
<i>Coreopsis lanceolata</i>	Sand Coreopsis	5	Perennial	S, P	DM, D	FSU	Yellow	2-3'	May-Aug
<i>Echinacea purpurea</i>	Purple Coneflower	5	Perennial	S, P	WM, M, DM	FSU, PSU	Purple	3-4'	July-Sept
<i>Liatris scariosa</i> var. <i>nieuwlandii</i>	Northern Blazing Star	5	Perennial	S, P	M, DM, D	FSU, PSU	Purple	2-5'	July-Sept
<i>Monarda bradburiana</i>	Eastern Beebalm	5	Perennial	S, WO	M, DM, D	PSU, WSH	Lavender	1-2'	June-July
<i>Penstemon pallidus</i>	Pale Beardtongue	5	Perennial	P, S, WO	DM, D	FSU, PSU	White	1'	May-July
<i>Rudbeckia fulgida</i>	Showy Black-Eyed Susan	5	Perennial	S, WO	WM, M	FSU, PSU	Yellow	3'	June-Sept
<i>Symphotrichum ooglentangiense</i>	Sky Blue Aster	5	Perennial	S, P	M, DM, D	FSU, PSU	Blue	2-4'	Aug-Oct
<i>Sporobolus heterolepis</i>	Prairie Dropseed Grass	5	Perennial	P	WM, M, DM	FSU	Russet	2-3'	Aug-Sept
		50							

BUMBLE BEE BANQUET COLLECTION - \$40

Scientific and Common Name	<i>*Common name includes a link to additional information</i>	#/Kit	Life Cycle	Habitat	Moisture	Light	Color	Height	Bloom Range
<i>Agastache foeniculum</i>	Anise Hyssop	3	Perennial	P	M, DM	FSU, PSU	Blue	2-4'	June-Sept
<i>Dalea purpurea</i>	Purple Prairie Clover	3	Perennial	P	M, DM, D	FSU	Purple	1-3'	July-Sept
<i>Monarda fistulosa</i>	Wild Bergamot	3	Perennial	P	WM, M, DM, D	FSU	Magenta	2-4'	July-Sept
<i>Oligoneuron rigidum</i>	Stiff Goldenrod	3	Perennial	P	M, DM, D	FSU	Yellow	2-5'	Aug-Oct
<i>Ratibida pinnata</i>	Yellow Coneflower	3	Perennial	S, P	M, DM	FSU, PSU	Yellow	3-6'	July-Sept
		15							

OCTOBER BLOOMS COLLECTION - \$40

Scientific and Common Name	*Common name includes a link to additional information	#/Kit	Life Cycle	Habitat	Moisture	Light	Color	Height	Bloom Range
<i>Bouteloua curtipendula</i>	Side Oats Grama	3	Perennial	P	DM, D	FSU	Orange	2-3'	July-Oct
<i>Liatriis aspera</i>	Button Blazing Star	3	Perennial	P	M, DM, D	FSU	Purple	2-5'	July-Oct
<i>Oligoneuron rigidum</i>	Stiff Goldenrod	3	Perennial	P	M, DM, D	FSU	Yellow	2-5'	Aug-Oct
<i>Rudbeckia subtomentosa</i>	Sweet Black-Eyed Susan	3	Perennial	P	WM, M, DM	FSU	Yellow	3-5'	Aug-Oct
<i>Symphotrichum novae-angliae</i>	New England Aster	3	Perennial	P	W, WM, M, DM	FSU	Blue/Purple	2-5'	Aug-Oct
		15							

HUMMINGBIRD HAVEN COLLECTION - \$40

Scientific and Common Name	*Common name includes a link to additional information	#/Kit	Life Cycle	Habitat	Moisture	Light	Color	Height	Bloom Range
<i>Echinacea purpurea</i>	Purple Coneflower	3	Perennial	S, P	WM, M, DM	FSU, PSU	Purple	3-4'	July-Sept
<i>Lobelia cardinalis</i>	Cardinal Flower	3	Perennial	WO, S	W, WM	FSU, PSU	Red	2-4'	July-Sept
<i>Monarda fistulosa</i>	Wild Bergamot	3	Perennial	P	WM, M, DM, D	FSU	Magenta	2-4'	July-Sept
<i>Penstemon hirsutus</i>	Hairy Beardtongue	3	Perennial	P, WO	WM, M, DM, D	FSU, PSU, SH	Purple	18"	May-June
<i>Symphotrichum laeve</i>	Smooth Blue Aster	3	Perennial	P	WM, M, DM	FSU, PSU	Blue	1-3'	Aug-Oct
		15							

Key to Native Habitat and Definitions

Woodland (WO) - Dominated by trees ranging from closed canopy (no or few gaps, low light level) to open canopy (some to frequent gaps, varying light levels).

Floodplain in Woodland (FL) - A subset of woodlands, areas that are permanently or seasonally flooded along rivers, streams and creeks.

Savanna (S) - Moderately to widely spaced trees with moderate to high light levels and a grass/herbaceous plant understory.

Prairie (P) - Dominated by grasses and heraceous flowering plants.

Wetland (WE) - Permanently to seasonally flooded with saturated soils for most or all of the year.

Open Wetland Habitat (WEO) - Open habitat including marsh, fen, sedge meadow and seep.

Forested Wetland Habitat (WEF) - Shrub or tree canopy including flatwoods, swamp, and forested seeps/fens not necessarily associated with floodplain.

Key to Soil Moisture and Definitions: Soil moisture is based on the water table level and the presence of available water for plant growth. Soil moisture is determined by regional climate and affected by soil type (clay slowly drains, loam moderately drains, sand quickly drains).

Dry (D) - Excessively drained, such as sandy soil. Little water retention, moist for only brief period after rain.

Dry Mesic (DM) - Medium dry, well drained. Water available to plants for a short period after rain.

Mesic (M) - Medium moist, comparable to average garden soil. Water available to plants for a moderate period after rain.

Wet Mesic (WM) - Medium moist to soggy most of the year, through significant parts of the growing season. Water drains slowly.

Wet (W) - Soggy or marshy most of the year. Water table is at or above surface all year.

Key to Light Level and Definitions

Full Sun (FSU) - Sun all day but most plants will do well with six hours or more of direct sun

Part Sun (PSU) - Partially shaded, typically along wooded edges and openings between trees

Part Shade (PSH) - Sun for part of the day, shade for the remainder

Light Shade (LSH) - Indirect sun, light or dappled shade all day long

Shade (SH) - Shade all day that is heavier than light shade

Woodland Shade (WSH) - Heavily shaded by closed canopy of trees with filtered sunlight